Supplemental Arrows-C

Range: 1F800-1F8FF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard. Version 10.0*

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts.

See http://www.unicode.org/charts/PDF/Unicode-10.0/ for charts showing only the characters added in Unicode 10.0.

See http://www.unicode.org/Public/10.0.0/charts/ for a complete archived file of character code charts for Unicode 10.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 10.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 10.0, online at http://www.unicode.org/versions/Unicode10.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, and #45, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

Terms of Use


You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2017 Unicode, Inc. All rights reserved.



Arrows with triangle arrowheads

- 1F800 ← LEFTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F801

 UPWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F802 → RIGHTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
- 1F804 ← LEFTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F805 ↑ UPWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F806 → RIGHTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
- 1F807 ↓ DOWNWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD

- 1F80A → RIGHTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
- 1F80B ◆ DOWNWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD

Arrows with equilateral triangle arrowheads

- 1F810 ← LEFTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F811 † UPWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F812 → RIGHTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F813 | DOWNWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
- 1F814 ← LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F815 † UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F816 → RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F817 ↓ DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F818 ← HEAVY LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F819 † HEAVY UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81A → HEAVY RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
- 1F81C ← HEAVY LEFTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81D ★ HEAVY UPWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81E → HEAVY RIGHTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
- 1F81F ★ HEAVY DOWNWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD

Triangle headed arrows with different shaft weights

- 1F820 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F821 ↑ UPWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F822 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT

- 1F823 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
- 1F824 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F826 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F827 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
- 1F828 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F829 **†** UPWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82A → RIGHTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82B | DOWNWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
- 1F82C ← LEFTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82D 1 UPWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82E → RIGHTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F82F

 DOWNWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
- 1F830 LEFTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F831 **1** UPWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F832 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
- 1F833

 DOWNWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT

Finger-post arrows

- 1F834 LEFTWARDS FINGER-POST ARROW
- 1F836 RIGHTWARDS FINGER-POST ARROW
- 1F837 DOWNWARDS FINGER-POST ARROW

Squared arrows

- 1F839 UPWARDS SQUARED ARROW
- 1F83A RIGHTWARDS SQUARED ARROW
- 1F83B ◆ DOWNWARDS SQUARED ARROW

Compressed arrows

- 1F83E ♦ RIGHTWARDS COMPRESSED ARROW
- 1F83F DOWNWARDS COMPRESSED ARROW
- 1F841 UPWARDS HEAVY COMPRESSED ARROW
- 1F842 ► RIGHTWARDS HEAVY COMPRESSED ARROW

 → 27A7 ► squat black rightwards arrow
- 1F843 **▼** DOWNWARDS HEAVY COMPRESSED ARROW

Heavy arrows

- 1F844 ← LEFTWARDS HEAVY ARROW
- 1F845 **1** UPWARDS HEAVY ARROW
- 1F846 → RIGHTWARDS HEAVY ARROW
- 1F847 ■ DOWNWARDS HEAVY ARROW

Sans-serif arrows

1F850 ← LEFTWARDS SANS-SERIF ARROW → 2190 ← leftwards arrow

1F851	1	UPWARDS SANS-SERIF ARROW → 2191 ↑ upwards arrow
1F852	\rightarrow	RIGHTWARDS SANS-SERIF ARROW
1F853	\downarrow	→ 2192 → rightwards arrow DOWNWARDS SANS-SERIF ARROW
1F854	Κ,	→ 2193 ↓ downwards arrow NORTH WEST SANS-SERIF ARROW
1F855	7	→ 2196 \ north west arrow NORTH EAST SANS-SERIF ARROW
1F856	Ŕ	→ 2197 / north east arrow SOUTH EAST SANS-SERIF ARROW
1F857	∠	→ 2198 \ south east arrow SOUTH WEST SANS-SERIF ARROW
1F858	\leftrightarrow	→ 2199 ✓ south west arrow LEFT RIGHT SANS-SERIF ARROW
1F859	\$	→ 2194 ↔ left right arrow UP DOWN SANS-SERIF ARROW
\\\': a a	.	→ 2195 ‡ up down arrow

Wide-headed barb arrows

1F860	\leftarrow	WIDE-HEADED LEFTWARDS LIGHT BARB
		ARROW

- 1F861 ↑ WIDE-HEADED UPWARDS LIGHT BARB ARROW
- 1F862 → WIDE-HEADED RIGHTWARDS LIGHT BARB ARROW
- 1F863

 ✓ WIDE-HEADED DOWNWARDS LIGHT BARB ARROW
- 1F864 NWIDE-HEADED NORTH WEST LIGHT BARB ARROW
- 1F865 7 WIDE-HEADED NORTH EAST LIGHT BARB ARROW
- 1F866 UMDE-HEADED SOUTH EAST LIGHT BARB ARROW
- 1F867 ∠ WIDE-HEADED SOUTH WEST LIGHT BARB ARROW
- 1F868 ← WIDE-HEADED LEFTWARDS BARB ARROW
- 1F86A → WIDE-HEADED RIGHTWARDS BARB ARROW
- 1F86B $\ ullet$ WIDE-HEADED DOWNWARDS BARB ARROW
- 1F86C

 ▼ WIDE-HEADED NORTH WEST BARB ARROW
- 1F86D 7 WIDE-HEADED NORTH EAST BARB ARROW
- 1F86E 😕 WIDE-HEADED SOUTH EAST BARB ARROW
- 1F86F ∠ WIDE-HEADED SOUTH WEST BARB ARROW
- 1F870 ← WIDE-HEADED LEFTWARDS MEDIUM BARB ARROW
- 1F871

 WIDE-HEADED UPWARDS MEDIUM BARB ARROW
- 1F872 → WIDE-HEADED RIGHTWARDS MEDIUM BARB ARROW
 - → 2794 → heavy wide-headed rightwards arrow
- 1F874 **K** WIDE-HEADED NORTH WEST MEDIUM BARB ARROW
- 1F875 **7** WIDE-HEADED NORTH EAST MEDIUM BARB ARROW
- 1F876 **\(\)** WIDE-HEADED SOUTH EAST MEDIUM BARB ARROW
- 1F877 WIDE-HEADED SOUTH WEST MEDIUM BARB ARROW
- 1F878 ← WIDE-HEADED LEFTWARDS HEAVY BARB ARROW

- 1F87A → WIDE-HEADED RIGHTWARDS HEAVY BARB ARROW
- 1F87B WIDE-HEADED DOWNWARDS HEAVY BARB ARROW
- 1F87C NUIDE-HEADED NORTH WEST HEAVY BARB ARROW
- 1F87D **7** WIDE-HEADED NORTH EAST HEAVY BARB ARROW
- 1F87E WIDE-HEADED SOUTH EAST HEAVY BARB ARROW

- 1F882 → WIDE-HEADED RIGHTWARDS VERY HEAVY BARB ARROW
- 1F883 ♥ WIDE-HEADED DOWNWARDS VERY HEAVY BARB ARROW
- 1F884 WIDE-HEADED NORTH WEST VERY HEAVY BARB ARROW
- 1F885 7 WIDE-HEADED NORTH EAST VERY HEAVY BARB ARROW
- 1F886 WIDE-HEADED SOUTH EAST VERY HEAVY BARB ARROW
- 1F887 WIDE-HEADED SOUTH WEST VERY HEAVY BARB ARROW

Arrowheads

- 1F890 · LEFTWARDS TRIANGLE ARROWHEAD
- 1F891 UPWARDS TRIANGLE ARROWHEAD
- 1F892 > RIGHTWARDS TRIANGLE ARROWHEAD
- 1F893 DOWNWARDS TRIANGLE ARROWHEAD
- 1F894 4 LEFTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F895 LUPWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F896 > RIGHTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
- 1F897 DOWNWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD

Notched arrows

- 1F898 LEFTWARDS ARROW WITH NOTCHED TAIL
- 1F899

 UPWARDS ARROW WITH NOTCHED TAIL
- 1F89A → RIGHTWARDS ARROW WITH NOTCHED TAIL
 → 27AF ⇒ notched lower right-shadowed
 white rightwards arrow
- 1F89B ■ DOWNWARDS ARROW WITH NOTCHED TAIL

Heavy arrow shafts

The vertical alignment and thickness of this set are compatible with heavy shaft arrows.

- 1F89C HEAVY ARROW SHAFT WIDTH ONE
- 1F89D HEAVY ARROW SHAFT WIDTH TWO THIRDS
- 1F89E HEAVY ARROW SHAFT WIDTH ONE HALF
- 1F89F · HEAVY ARROW SHAFT WIDTH ONE THIRD

Shaded white arrows

- 1F8A0 ← LEFTWARDS BOTTOM-SHADED WHITE ARROW
- 1F8A1 ⇒ RIGHTWARDS BOTTOM SHADED WHITE ARROW
- 1F8A2 🗢 LEFTWARDS TOP SHADED WHITE ARROW
- 1F8A3 ⇒ RIGHTWARDS TOP SHADED WHITE ARROW
- 1F8A4 ← LEFTWARDS LEFT-SHADED WHITE ARROW

- 1F8A5 ⇒ RIGHTWARDS RIGHT-SHADED WHITE ARROW → 27A9 ⇒ right-shaded white rightwards arrow
- 1F8A6 ← LEFTWARDS RIGHT-SHADED WHITE ARROW
- 1F8A7

 ⇒ RIGHTWARDS LEFT-SHADED WHITE ARROW
 - → 27AA 🖒 left-shaded white rightwards arrow
- 1F8A8 ← LEFTWARDS BACK-TILTED SHADOWED WHITE ARROW
- 1F8A9

 RIGHTWARDS BACK-TILTED SHADOWED WHITE ARROW
 - → 27AB → back-tilted shadowed white rightwards arrow
- 1F8AA ← LEFTWARDS FRONT-TILTED SHADOWED WHITE ARROW
- 1F8AB ⇔ RIGHTWARDS FRONT-TILTED SHADOWED WHITE ARROW
 - → 27AC → front-tilted shadowed white rightwards arrow

White arrow shafts

1F8A5

The vertical alignment and thickness of this set are compatible with white arrows.

- 1F8AC WHITE ARROW SHAFT WIDTH ONE
- 1F8AD P WHITE ARROW SHAFT WIDTH TWO THIRDS