# **Supplemental Mathematical Operators**

Range: 2A00-2AFF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 10.0* 

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See http://www.unicode.org/errata/ for an up-to-date list of errata.

See http://www.unicode.org/charts/ for access to a complete list of the latest character code charts.

See http://www.unicode.org/charts/PDF/Unicode-10.0/ for charts showing only the characters added in Unicode 10.0.

See http://www.unicode.org/Public/10.0.0/charts/ for a complete archived file of character code charts for Unicode 10.0.

## Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 10.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 10.0, online at http://www.unicode.org/versions/Unicode10.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, and #45, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See http://www.unicode.org/ucd/ and http://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

### **Fonts**

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See http://www.unicode.org/charts/fonts.html for a list.

## **Terms of Use**

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See http://www.unicode.org/pending/pending.html and http://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2017 Unicode, Inc. All rights reserved.

	2A0	2A1	2A2	2A3	2A4	2A5	2A6	2A7	2A8	2A9	2AA	2AB	2AC	2AD	2AE	2AF
0	O 2A00	$\oint_{2A10}$	>>> 2A20	<b>X</b> 2A30	<b>∩</b> 2A40	2A50	<u>A</u>	<u>≈</u>	<b>≥</b> 2A80	2A90	<u>X</u>	2AB0	⊋ 2AC0	D 2AD0	_ <b>_</b>	O 2AF0
1	<u>2A01</u>	<b>∫</b> 2A11	2A21	<u>X</u> 2A31	<b>U</b> 2A41	A 2A51	<u>V</u> 2A61	<b>=</b> + 2A71	<b>\$</b>	<u></u> <u>2A91</u>	<b>≪</b> 2AA1	<b>⋨</b>	× 2AC1	<u></u>	<u>S</u> 2AE1	T O 2AF1
2	2A02	<b>5</b> 2A12	2A22	<b>X</b> 2A32	<b>Ū</b>	<b>V</b> 2A52	<b>\overline{\overline{V}}</b> 2A62	<b>±</b> 2A72	> 2A82	<u>2A92</u>	<b>≫</b> 2AA2	<u>→</u> 2AB2	X 2AC2	<u>D</u> 2AD2	2AE2	# 2AF2
3	2A03	<b>5</b> 2A13	<b>1</b> 2A23	<b>※</b> 2A33	A43	A 2A53	<u>V</u> 2A63	<b>=</b> 2A73	<b>₹</b> 2A83	2A93	<u></u>	<u>≤</u>	Ž 2AC3	O 2AD3	-   2AE3	<b>₩</b>
4	<b>+</b> 2A04	<b>5</b> 2A14	<b>~</b>	<b>(</b> × 2A34	A 2A44	<b>X</b> 2A54	2A64	2A74	> 2A84	2A94	≥ 2AA4	ZAB4	<u>-</u>	2AD4	======================================	2AF4
5	2A05	<b>9</b> 2A15	+ 2A25	<b>X</b> ) 2A35	<b>Y</b> 2A45	2A55	2A65	<b>==</b> 2A75	<b>2</b> A85	2A95	>< 2AA5	¥ 2AB5	<u>_</u> 2AC5	ZAD5	=   2AE5	## 2AF5
6	2A06	£ 2A16	± 2A26	<b>\$</b> 2A36	O 2A46	2A56	2A66	<b>2</b> A76	<b>≥</b> 2A86	>> 2A96	2AA6	≥ 2AB6	<u>2</u> AC6	AD6	<b>H</b> -	2AF6
7	A 2A07	<b>€</b>	+2 2A27	2A37	<b>O</b> U 2A47	2A57	<u>•</u> 2A67	2A77	<b>≤</b> 2A87	2A97	C> 2AA7	≈ 2AB7		2AD7	<b>—</b> 2AE7	2AF7
8	W 2A08	<b>≯</b> 2A18	<b>‡</b>	2A38	<u>U</u> 2A48	2A58	# 2A68	2A78	> 2A88	>> 2A98	<b>Q</b> 2AA8	≥ ≥ 2AB8	≥ 2AC8	⊃€ <sub>2AD8</sub>	<b>⊥</b> 2AE8	2AF8
9	2A09	<b>f</b>	<u>9</u> 2A29	2A39	O 2A49	<b>X</b> 2A59	## 2A69	<b>≪</b> 2A79	<b>₹</b> 2A89	ZA99	2AA9	<b>₹</b>	<b>○</b> 2AC9	AD9	<b>1</b> T 2AE9	<b>≤</b> 2AF9
Α	2A0A	<b>∮</b> 2A1A	2A2A	A 2A3A	<b>W</b> 2A4A	<b>↑</b> 2A5A	<b>~</b>	<b>≫</b> 2A7A	<b>&gt;</b> 2A8A	= 2A9A	<b>€</b>	<b>≯</b> 2ABA	≥ 2ACA	T 2ADA	TT 2AEA	2AFA
В	<b>5</b> 2A0B	J 2A1B	• • 2A2B	2A3B	<b>↑</b>	<b>W</b> 2A5B	<b>∻</b> 2A6B	<b>?</b> 2A7B	<b>Y</b> 2A8B	2A9B	≥ 2AAB	<b>≪</b> 2ABB	₩ ZACB	T 2ADB	<u>Ц</u> 2АЕВ	/// 2AFB
С	∭ 2A0C	<u></u>	2A2C		U 2A4C	A 2A5C	<b>≈</b> 2A6C	? 2A7C	N 2A8C	2A9C	₹ 2AAC	>>> 2ABC	⊋ 2ACC	يل 2ADC	= 2AEC	2AFC
D	$f_{\scriptscriptstyle{2A0D}}$	2A1D	<b>(</b> +		<u></u>	<b>₩</b> 2A5D	<u>*</u>	≤ 2A7D	<u>2</u>	~ 2A9D	≥ 2AAD	C 2ABD	2ACD	<b>↓</b> 2ADD	F 2AED	// 2AFD
Ε	<b>≠</b> 2A0E	ZA1E	<b>→</b> 2A2E	9 2A3E	<b>1</b> 2A4E	<b>7</b> 2A5E	<u>*</u>	≥ 2A7E	2A8E	> 2A9E	2AAE	2ABE	2ACE	<b>⊣</b>	↓     2AEE	] 2AFE
F	f 2A0F	<b>9</b> 2A1F	<b>X</b> 2A2F		<b>Ш</b> 2А4F	<u>∧</u> 2A5F	<b>\$</b>	<b>≪</b> 2A7F	<b>X</b> 2A8F	<b>~</b>	∠ 2AAF	+ 2ABF	2ACF	T 2ADF	A 2AEF	] 2AFF

N			•	Z NOTATION COLIFANA COMPOSITION	
-	-	rators	2A1F	ŝ	Z NOTATION SCHEMA COMPOSITION
2A00	$\odot$	N-ARY CIRCLED DOT OPERATOR	2A20	>>	→ 2A3E; z notation relational composition Z NOTATION SCHEMA PIPING
		→ 2299 ⊙ circled dot operator	2720	//	→ 226B ≫ much greater-than
2A01	$\bigcirc$	→ 25C9 ● fisheye N-ARY CIRCLED PLUS OPERATOR	2A21	1	Z NOTATION SCHEMA PROJECTION
ZAUT	$\oplus$	→ 2295 ⊕ circled plus	27121	ı	→ 21BE   upwards harpoon with barb
2A02	$\otimes$	N-ARY CIRCLED TIMES OPERATOR			rightwards
ZAUZ	W	→ 2297 ⊗ circled times	Dluc s	and r	minus sign operators
		→ 2B59 ⊗ heavy circled saltire	2A22	ına ı ∔	PLUS SIGN WITH SMALL CIRCLE ABOVE
2A03	ŀJ	N-ARY UNION OPERATOR WITH DOT	2A23	÷	PLUS SIGN WITH SMALL CIRCLE ABOVE PLUS SIGN WITH CIRCUMFLEX ACCENT ABOVE
27 100	O	→ 228D ⊎ multiset multiplication	2A23	Ť	PLUS SIGN WITH CIRCOMPLEX ACCENT ABOVE
2A04	[+J	N-ARY UNION OPERATOR WITH PLUS		т	= positive difference or sum
	0	→ 228E ⊌ multiset union	2A25	+	PLUS SIGN WITH DOT BELOW
2A05	П	N-ARY SQUARE INTERSECTION OPERATOR		٠	$\rightarrow$ 2214 $\dotplus$ dot plus
		→ 2293 ⊓ square cap	2A26	±	PLUS SIGN WITH TILDE BELOW
2A06	Ш	N-ARY SQUARE UNION OPERATOR		,.	= sum or positive difference
		→ 2294 ⊔ square cup	2A27	+2	PLUS SIGN WITH SUBSCRIPT TWO
2A07	$\mathbb{M}$	TWO LOGICAL AND OPERATOR			= nim-addition
		= merge	2A28	+	PLUS SIGN WITH BLACK TRIANGLE
0400	W //	→ 2A55 M two intersecting logical and	2A29	•	MINUS SIGN WITH COMMA ABOVE
2A08	W	TWO LOGICAL OR OPERATOR	2A2A	·	MINUS SIGN WITH DOT BELOW
2400	\/	→ 2A56 w two intersecting logical or	0.4.0.D		→ 2238 ÷ dot minus
2A09	Х	N-ARY TIMES OPERATOR  → 00D7 × multiplication sign	2A2B	÷.	MINUS SIGN WITH FALLING DOTS
			2A2C 2A2D	<del>.</del>	MINUS SIGN WITH RISING DOTS PLUS SIGN IN LEFT HALF CIRCLE
		ons and integrals	2A2D 2A2E	( <del>†</del>	PLUS SIGN IN LEFT HALF CIRCLE PLUS SIGN IN RIGHT HALF CIRCLE
2A0A	$\mathbf{\Sigma}$	MODULO TWO SUM		-	
	c	$\rightarrow$ 2211 $\sum$ n-ary summation		plica	tion and division sign operators
2A0B	<b>≸</b>	SUMMATION WITH INTEGRAL	2A2F	×	VECTOR OR CROSS PRODUCT
2A0C		QUADRUPLE INTEGRAL OPERATOR			→ 00D7 × multiplication sign
		→ 222D ∭ triple integral	2A30	×	MULTIPLICATION SIGN WITH DOT ABOVE
2A0D	ſ	$\approx 222B \int 222B \int 222B \int 222B \int$	2A31	×	MULTIPLICATION SIGN WITH UNDERBAR
2A0D	∱	FINITE PART INTEGRAL INTEGRAL WITH DOUBLE STROKE	2A32	×	SEMIDIRECT PRODUCT WITH BOTTOM CLOSED
2A0E	₹ }	INTEGRAL AVERAGE WITH SLASH	2A33	*	SMASH PRODUCT
2A10	J ∮	CIRCULATION FUNCTION	2A34	(×	MULTIPLICATION SIGN IN LEFT HALF CIRCLE
2A10	£	ANTICLOCKWISE INTEGRATION	2A35	») ♠	MULTIPLICATION SIGN IN RIGHT HALF CIRCLE
2A12	j	LINE INTEGRATION WITH RECTANGULAR PATH	2A36	Ô	CIRCLED MULTIPLICATION SIGN WITH CIRCUMFLEX ACCENT
2, 1, 2	Л	AROUND POLE	2A37	<b>(X)</b>	MULTIPLICATION SIGN IN DOUBLE CIRCLE
2A13	Ş	LINE INTEGRATION WITH SEMICIRCULAR PATH	2A38	<b>⊕</b>	CIRCLED DIVISION SIGN
		AROUND POLE		_	eous mathematical operators
2A14	ج	LINE INTEGRATION NOT INCLUDING THE POLE			
2A15	ø	INTEGRAL AROUND A POINT OPERATOR			PLUS SIGN IN TRIANGLE
0440	c	→ 222E ∮ contour integral	2A3A 2A3B	$\stackrel{\sim}{\wedge}$	MINUS SIGN IN TRIANGLE MULTIPLICATION SIGN IN TRIANGLE
2A16	∯.	QUATERNION INTEGRAL OPERATOR	2A3C		INTERIOR PRODUCT
2A17	∱	INTEGRAL WITH LEFTWARDS ARROW WITH HOOK	2/100	_	→ 230B   right floor
2A18	*	INTEGRAL WITH TIMES SIGN			~ 2A3C FE00 _ tall variant with narrow foot
2A19	Л	INTEGRAL WITH INTERSECTION	2A3D	_	RIGHTHAND INTERIOR PRODUCT
2A1A	<u>y</u>	INTEGRAL WITH UNION			→ 230A   left floor
2A1B	Ţ	INTEGRAL WITH OVERBAR			→ 2319 – turned not sign
	J	= upper integral			~ 2A3D FE00 L tall variant with narrow foot
2A1C	ſ	INTEGRAL WITH UNDERBAR	2A3E	9	Z NOTATION RELATIONAL COMPOSITION
	<u>-</u>	= lower integral			→ 2A1F 🖇 z notation schema composition
Misce	llane	eous large operators	2A3F	П	AMALGAMATION OR COPRODUCT
2A1D					→ 2210 ∐ n-ary coproduct
	<b>,</b> ,	= large bowtie	Inters	secti	ons and unions
		• relational database theory	2A40	$\cap$	INTERSECTION WITH DOT
		→ 22C8 ⋈ bowtie			→ 2227 ∧ logical and
		→ 27D7 <b>x</b> full outer join			$\rightarrow$ 27D1 A and with dot
2A1E	$\triangleleft$	LARGE LEFT TRIANGLE OPERATOR	2A41	$\forall$	UNION WITH MINUS SIGN
		• relational database theory			= z notation bag subtraction
		$\rightarrow$ 25C1 $\triangleleft$ white left-pointing triangle			→ 228E ⊌ multiset union

2A42	Ū	UNION WITH OVERBAR	2A6B	<b>∻</b>	TILDE OPERATOR WITH RISING DOTS
2A43	Ā	INTERSECTION WITH OVERBAR			→ 223B ∻ homothetic
2A44	۱. ا	INTERSECTION WITH LOGICAL AND	2A6C	≈	SIMILAR MINUS SIMILAR
2A45	y	UNION WITH LOGICAL OR	2A6D	≐	CONGRUENT WITH DOT ABOVE
2A46	U	UNION ABOVE INTERSECTION			→ 2245 ≅ approximately equal to
2A47	Н	INTERSECTION ABOVE UNION	2A6E	<u>*</u>	EQUALS WITH ASTERISK
2A48	A H H	UNION ABOVE BAR ABOVE INTERSECTION			→ 225B <b>±</b> star equals
2A49	Ä	INTERSECTION ABOVE BAR ABOVE UNION	2A6F	â	ALMOST EQUAL TO WITH CIRCUMFLEX
2A4A	w	UNION BESIDE AND JOINED WITH UNION			ACCENT
2A4B	m	INTERSECTION BESIDE AND JOINED WITH	2A70	≊	APPROXIMATELY EQUAL OR EQUAL TO
		INTERSECTION	2A71	₹	EQUALS SIGN ABOVE PLUS SIGN
2A4C	U	CLOSED UNION WITH SERIFS			<ul> <li>black stands slightly better (chess notation)</li> </ul>
		→ 222A U union	2A72	±	PLUS SIGN ABOVE EQUALS SIGN
2A4D	Ω	CLOSED INTERSECTION WITH SERIFS			<ul> <li>white stands slightly better (chess notation)</li> </ul>
		→ 2229 n intersection	2A73	≂	EQUALS SIGN ABOVE TILDE OPERATOR
2A4E	П	DOUBLE SQUARE INTERSECTION	2A74	::=	DOUBLE COLON EQUAL
2A4F	Ш	DOUBLE SQUARE UNION			$\approx 003A : 003A : 003D =$
2A50	⊗	CLOSED UNION WITH SERIFS AND SMASH	2A75	==	TWO CONSECUTIVE EQUALS SIGNS
		PRODUCT			$\approx 003D = 003D =$
Logic	al an	ds and ors	2A76	===	THREE CONSECUTIVE EQUALS SIGNS
2A51		LOGICAL AND WITH DOT ABOVE			$\approx 003D = 003D = 003D =$
2A52	·	LOGICAL OR WITH DOT ABOVE	2A77	<del>::</del>	EQUALS SIGN WITH TWO DOTS ABOVE AND
2A53	<b>*</b>	DOUBLE LOGICAL AND			TWO DOTS BELOW
2A54	<i>™</i>	DOUBLE LOGICAL AND	2A78	≡	• • • • • • • • • • • • • • • • • • • •
2A55	<b>M</b>	TWO INTERSECTING LOGICAL AND	2A79	⋖	
2/100	<b>//</b> \\	→ 2A07 M two logical and operator	2A7A	≽	
2A56	W	TWO INTERSECTING LOGICAL OR	2A7B		LESS-THAN WITH QUESTION MARK ABOVE
2/100	w	→ 2A08 W two logical or operator	2A7C	3	GREATER-THAN WITH QUESTION MARK ABOVE
2A57	ν	SLOPING LARGE OR	2A7D	≤	LESS-THAN OR SLANTED EQUAL TO
2A58	1	SLOPING LARGE AND			→ 2264 ≤ less-than or equal to
2A59	X	LOGICAL OR OVERLAPPING LOGICAL AND	2A7E	≽	GREATER-THAN OR SLANTED EQUAL TO
2A5A	^	LOGICAL AND WITH MIDDLE STEM			$\rightarrow$ 2265 $\geq$ greater-than or equal to
2A5B	V	LOGICAL OR WITH MIDDLE STEM	2A7F	€	LESS-THAN OR SLANTED EQUAL TO WITH DOT
2A5C	<b>▼</b>	LOGICAL AND WITH HORIZONTAL DASH	0400		INSIDE
2A5D	<del>^</del>	LOGICAL OR WITH HORIZONTAL DASH	2A80	≽	GREATER-THAN OR SLANTED EQUAL TO WITH DOT INSIDE
2A5E	₹	LOGICAL AND WITH DOUBLE OVERBAR	2A81	×	LESS-THAN OR SLANTED EQUAL TO WITH DOT
ZAUL	/\	→ 2306 ₹ perspective	ZAOT	~	ABOVE
2A5F	Δ	LOGICAL AND WITH UNDERBAR	2A82	≽	GREATER-THAN OR SLANTED EQUAL TO WITH
2A60	Δ	LOGICAL AND WITH DOUBLE UNDERBAR	2,102	~	DOT ABOVE
2/100	≅	$\rightarrow$ 2259 $\triangleq$ estimates	2A83	≼ં	LESS-THAN OR SLANTED EQUAL TO WITH DOT
2A61	¥	SMALL VEE WITH UNDERBAR		•	ABOVE RIGHT
27101	_	→ 225A ¥ equiangular to	2A84	≽	GREATER-THAN OR SLANTED EQUAL TO WITH
2A62	₹	LOGICAL OR WITH DOUBLE OVERBAR			DOT ABOVE LEFT
2A63	v ⊻	LOGICAL OR WITH DOUBLE UNDERBAR	2A85	≨	LESS-THAN OR APPROXIMATE
27100	≛	→ 225A ¥ equiangular to	2A86	×≈∧≈	GREATER-THAN OR APPROXIMATE
		· -	2A87	≨	LESS-THAN AND SINGLE-LINE NOT EQUAL TO
		eous mathematical operators			$\rightarrow$ 2268 $\leq$ less-than but not equal to
2A64	$\triangleleft$	Z NOTATION DOMAIN ANTIRESTRICTION	2A88	≥	GREATER-THAN AND SINGLE-LINE NOT EQUAL
2A65	$\triangleright$	Z NOTATION RANGE ANTIRESTRICTION			ТО
		→ 2332 ⊳ conical taper			$\rightarrow$ 2269 $\geq$ greater-than but not equal to
Relati	iona	l operators	2A89	V#\#\I\	LESS-THAN AND NOT APPROXIMATE
2A66	=	EQUALS SIGN WITH DOT BELOW	2A8A	≩	GREATER-THAN AND NOT APPROXIMATE
	•	→ 2250 = approaches the limit	2A8B	⋚	LESS-THAN ABOVE DOUBLE-LINE EQUAL
2A67	≐	IDENTICAL WITH DOT ABOVE			ABOVE GREATER-THAN
2A68	#	TRIPLE HORIZONTAL BAR WITH DOUBLE	2490	>	→ 22DA ≶ less-than equal to or greater-than
	"	VERTICAL STROKE	2A8C	⋛	GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE LESS-THAN
		= identical and parallel to			→ 22DB ≥ greater-than equal to or less-than
		ightarrow 22D5 $#$ equal and parallel to	2A8D	≦	LESS-THAN ABOVE SIMILAR OR EQUAL
_		ightarrow 29E5 $#$ identical to and slanted parallel	2A8E	~	GREATER-THAN ABOVE SIMILAR OR EQUAL
2A69	#	TRIPLE HORIZONTAL BAR WITH TRIPLE	2A8F	VZARVI	LESS-THAN ABOVE SIMILAR ABOVE GREATER-
2464	_	VERTICAL STROKE	_, .01	>	THAN
2A6A	÷	TILDE OPERATOR WITH DOT ABOVE			

2A90	⋛	GREATER-THAN ABOVE SIMILAR ABOVE LESS-	2AB3	≦	PRECEDES ABOVE EQUALS SIGN
2401	<	THAN	2AB4	$\succeq$	SUCCEEDS ABOVE EQUALS SIGN
2A91	≦	LESS-THAN ABOVE GREATER-THAN ABOVE DOUBLE-LINE EQUAL	2AB5	≨	PRECEDES ABOVE NOT EQUAL TO
2A92	≧	GREATER-THAN ABOVE LESS-THAN ABOVE	2AB6 2AB7	≨	SUCCEEDS ABOVE NOT EQUAL TO PRECEDES ABOVE ALMOST EQUAL TO
		DOUBLE-LINE EQUAL	2AB8	××	SUCCEEDS ABOVE ALMOST EQUAL TO
2A93		LESS-THAN ABOVE SLANTED EQUAL ABOVE	2AB9	***************************************	PRECEDES ABOVE NOT ALMOST EQUAL TO
2404	>	GREATER THAN ABOVE SLANTED EQUAL	2ABA	%.	SUCCEEDS ABOVE NOT ALMOST EQUAL TO
2A94		GREATER-THAN ABOVE SLANTED EQUAL ABOVE LESS-THAN ABOVE SLANTED EQUAL	2ABB	$\overset{\sim}{ imes}$	DOUBLE PRECEDES
2A95	1	SLANTED EQUAL TO OR LESS-THAN	2ABC	$\gg$	DOUBLE SUCCEEDS
		→ 22DC ⋜ equal to or less-than	Subse	et an	d superset relations
2A96	≽	SLANTED EQUAL TO OR GREATER-THAN	2ABD	c	SUBSET WITH DOT
2407		→ 22DD ⋝ equal to or greater-than	2ABE	∍	SUPERSET WITH DOT
2A97	€	SLANTED EQUAL TO OR LESS-THAN WITH DOT INSIDE	2ABF	Ţ	SUBSET WITH PLUS SIGN BELOW
2A98	≽	SLANTED EQUAL TO OR GREATER-THAN WITH	2AC0 2AC1	Ž	SUPERSET WITH PLUS SIGN BELOW SUBSET WITH MULTIPLICATION SIGN BELOW
		DOT INSIDE	2AC1	Š	SUPERSET WITH MULTIPLICATION SIGN BELOW
2A99	₹	DOUBLE-LINE EQUAL TO OR LESS-THAN	2AC3		SUBSET OF OR EQUAL TO WITH DOT ABOVE
2404	=	→ 22DC < equal to or less-than	2AC4	≟	SUPERSET OF OR EQUAL TO WITH DOT ABOVE
2A9A	<u>=</u>	DOUBLE-LINE EQUAL TO OR GREATER-THAN  → 22DD	2AC5	⊆	SUBSET OF ABOVE EQUALS SIGN
2A9B	1	DOUBLE-LINE SLANTED EQUAL TO OR LESS-	2AC6	$\supseteq$	SUPERSET OF ABOVE EQUALS SIGN
	`	THAN	2AC7	$\subseteq$	SUBSET OF ABOVE TILDE OPERATOR
2A9C	≶	DOUBLE-LINE SLANTED EQUAL TO OR	2AC8	$\gtrsim$	SUPERSET OF ABOVE ALMOST FOLIAL TO
2A9D	~	GREATER-THAN SIMILAR OR LESS-THAN	2AC9 2ACA	≋	SUBSET OF ABOVE ALMOST EQUAL TO SUPERSET OF ABOVE ALMOST EQUAL TO
ZASD	~	~ 2A9D FE00 & with similar following the slant	2ACB	U≋∩≋U	SUBSET OF ABOVE NOT EQUAL TO
		of the upper leg		7	~ 2ACB FE00 ⊊ with stroke through bottom
2A9E	~	SIMILAR OR GREATER-THAN		_	members '
		~ 2A9E FE00 > with similar following the slant	2ACC	⊋	SUPERSET OF ABOVE NOT EQUAL TO
2A9F	~	of the upper leg SIMILAR ABOVE LESS-THAN ABOVE EQUALS			~ 2ACC FE00 ⊋ with stroke through bottom members
ZASI	$\cong$	SIGN	2ACD		SQUARE LEFT OPEN BOX OPERATOR
2AA0	≧	SIMILAR ABOVE GREATER-THAN ABOVE	2ACE		SQUARE RIGHT OPEN BOX OPERATOR
		EQUALS SIGN	2ACF		CLOSED SUBSET
2AA1	⋖	DOUBLE NESTED LESS-THAN	0450		→ 2282 ⊂ subset of
		= absolute continuity → 226A ≪ much less-than	2AD0	D	CLOSED SUPERSET
2AA2	≽	DOUBLE NESTED GREATER-THAN	2AD1	ቧ	→ 2283 ⊃ superset of CLOSED SUBSET OR EQUAL TO
		→ 226B ≫ much greater-than	2AD1	D	CLOSED SUPERSET OR EQUAL TO
2AA3	$\leq$	DOUBLE NESTED LESS-THAN WITH UNDERBAR	2AD3	S	SUBSET ABOVE SUPERSET
2AA4		GREATER-THAN OVERLAPPING LESS-THAN	2AD4	2	SUPERSET ABOVE SUBSET
2AA5		GREATER-THAN BESIDE LESS-THAN	2AD5	$\subseteq$	SUBSET ABOVE SUBSET
2AA6 2AA7	<b>∇</b>	LESS-THAN CLOSED BY CURVE GREATER-THAN CLOSED BY CURVE	2AD6	3	SUPERSET ABOVE SUPERSET
2AA8	✓	LESS-THAN CLOSED BY CURVE ABOVE			SUPERSET BESIDE SUBSET SUPERSET BESIDE AND JOINED BY DASH WITH
		SLANTED EQUAL	ZADO	<b>J</b> C	SUBSET
2AA9	$\triangleright$	GREATER-THAN CLOSED BY CURVE ABOVE	Forks		
2444		SLANTED EQUAL	2AD9		ELEMENT OF OPENING DOWNWARDS
2AAA 2AAB	<b>←</b> >	SMALLER THAN LARGER THAN	2003	""	$\rightarrow$ 2208 $\in$ element of
2AAC	€	SMALLER THAN OR EQUAL TO			$\rightarrow$ 27D2 $\psi$ element of opening upwards
	_	~ 2AAC FE00 € with slanted equal	2ADA	Ψ	PITCHFORK WITH TEE TOP
2AAD	≥	LARGER THAN OR EQUAL TO			→ 22D4 n pitchfork
		~ 2AAD FE00 ≥ with slanted equal	2ADB	Ψ	TRANSVERSAL INTERSECTION
2AAE	≘	EQUALS SIGN WITH BUMPY ABOVE	2ADC	.k	→ 22D4 m pitchfork FORKING
2AAF	ر	→ 224F ≃ difference between	2700	χυ	= not independent
ZAAF	≤	PRECEDES ABOVE SINGLE-LINE EQUALS SIGN  → 227C ≤ precedes or equal to			• an equational logic symbol, not a computing
2AB0	≥	SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN			science symbol
	_	→ 227D ≽ succeeds or equal to			<ul> <li>non-independence (original concept) is related to forking</li> </ul>
2AB1	⋨	PRECEDES ABOVE SINGLE-LINE NOT EQUAL TO			≡ 2ADD ψ 0338 Ø
2AB2	≽	SUCCEEDS ABOVE SINGLE-LINE NOT EQUAL TO			•

#### 2ADD ψ NONFORKING = independent • an equational logic symbol, not a computing science symbol • independence (original concept) is related to non-forking **Tacks and turnstiles** 2ADE + SHORT LEFT TACK → 22A3 H left tack 2ADF SHORT DOWN TACK → 22A4 T down tack 2AE0 ⊥ SHORT UP TACK $\rightarrow$ 22A5 $\perp$ up tack 2AE1 L PERPENDICULAR WITH S 2AE2 ⊨ VERTICAL BAR TRIPLE RIGHT TURNSTILE = ordinarily satisfies 2AE3 -- DOUBLE VERTICAL BAR LEFT TURNSTILE → 22A9 I⊢ forces → 22A8 ⊨ true 2AE5 □ DOUBLE VERTICAL BAR DOUBLE LEFT **TURNSTILE** 2AE6 ⊩ LONG DASH FROM LEFT MEMBER OF DOUBLE VERTICAL → 22A9 I⊢ forces 2AE7 = SHORT DOWN TACK WITH OVERBAR → 22A4 T down tack ightarrow 2351 $\overline{\top}$ apl functional symbol up tack overbar 2AE8 ± SHORT UP TACK WITH UNDERBAR $\rightarrow$ 22A5 $\perp$ up tack ightarrow 234A ightharpoonup apl functional symbol down tack underbar 2AE9 SHORT UP TACK ABOVE SHORT DOWN TACK **DOUBLE DOWN TACK** 2AEA Π DOUBLE UP TACK 2AEB Ш = independence probability theory 2AEC □ DOUBLE STROKE NOT SIGN → 00AC ¬ not sign 2AED ⊨ REVERSED DOUBLE STROKE NOT SIGN → 2310 r reversed not sign **Vertical line operators** 2AEE ↓ DOES NOT DIVIDE WITH REVERSED NEGATION SLASH → 2224 ∤ does not divide 2AEF ٩ VERTICAL LINE WITH CIRCLE ABOVE 2AF0 VERTICAL LINE WITH CIRCLE BELOW 2AF1 DOWN TACK WITH CIRCLE BELOW Ĭ = necessarily satisfies → 27DF ¶ up tack with circle above 2AF2 PARALLEL WITH HORIZONTAL STROKE # → 2226 ∦ not parallel to $\rightarrow$ 27CA $\dagger$ vertical bar with horizontal stroke 2AF3 PARALLEL WITH TILDE OPERATOR 2AF4 TRIPLE VERTICAL BAR BINARY RELATION Ш

= interleave

**STROKE** 

2AF5 ₩

→ 2980 || triple vertical bar delimiter

TRIPLE VERTICAL BAR WITH HORIZONTAL

→ 27CA † vertical bar with horizontal stroke

Miscellaneous mathematical operator TRIPLE COLON OPERATOR logic → 205D: tricolon → 22EE : vertical ellipsis Relations → 22D8 ≪ very much less-than 2AF8 TRIPLE NESTED GREATER-THAN → 22D9 >>> very much greater-than 2AF9 DOUBLE-LINE SLANTED LESS-THAN OR EQUAL €  $\rightarrow$  2266  $\leq$  less-than over equal to DOUBLE-LINE SLANTED GREATER-THAN OR 2AFA ≥ **EQUAL TO** → 2267 ≥ greater-than over equal to 2AFB /// TRIPLE SOLIDUS BINARY RELATION → 2AF4 ||| triple vertical bar binary relation Operators 2AFC LARGE TRIPLE VERTICAL BAR OPERATOR often n-ary → 2AF4 ||| triple vertical bar binary relation → 2980 || triple vertical bar delimiter 2AFD **DOUBLE SOLIDUS OPERATOR** → 2225 || parallel to 2AFE WHITE VERTICAL BAR = Dijkstra choice 2AFF N-ARY WHITE VERTICAL BAR = n-ary Dijkstra choice

